Post Closure Plan Process Water Pond Los Angeles Refinery-Carson Plant

| | | | Page No. | |
|----|------|---|----------|--|
| I. | PAR' | T A APPLICATION | 2 | |
| П. | FAC) | ILITY DESCRIPTION AND POST-CLOSURE CONTACT | 2 | |
| | (A) | General Description | | |
| | (B) | Topographic Map | | |
| | | (1) General Requirements | 4 | |
| | | (2) Additional Requirements for Land Disposal Facilities | 5 | |
| | (C) | Seismic Standard | | |
| | (D) | Floodplain Standard | 5 | |
| | | (1) Flood Proofing and Flood Protection Measures | 5 | |
| | | (2) Waiver for Land Storage and Disposal Facilities | 6 | |
| Ш | WAS | TE CHARACTERISTICS | 6 | |
| | (A) | Chemical and Physical Analyses | 6 | |
| | (B) | Waste Analysis Plan | 7 | |
| IV | SURI | FACE IMPOUNDMENT | 8 | |
| | (A) | List of Wastes | | |
| | (B) | Liner System Description | | |
| | | (1) Liner System Foundation Description | 8 | |
| | | (2) Leachate collection/Detection system Operation and Design | 9 | |
| V. | GRO | UNDWATER MONITORING | 9 | |
| | (A) | Interim status Period Groundwater Monitoring Data | 9 | |

Table of Contents (Continued)

| (B) | Aquifer Identifications 1 | | |
|-----|--------------------------------|---|-----------------|
| (C) | Contaminant Plume Descriptions | | |
| (D) | Detec | tion Monitoring Program | 22 |
| | (1) | Indicator parameters, Waste constituent, and Reaction Product to be Monitored | 22 |
| | (2) | Groundwater Monitoring Program | 23 |
| | (3) | Background Values | 24 |
| | (4) | Sampling, Analysis, and Statistical Procedures | 27 |
| (E) | Comp | oliance Monitoring Programs | 29 |
| | (1) | Waste Description | 30 |
| | (2) | Characterization of Contaminated Groundwater | 30 |
| | (3) | Hazardous Constituents to be Monitored | 31 |
| | (4) | Concentration Limits | 32 |
| | (5) | Alternate Concentration Limits | [•] 34 |
| | (6) | Groundwater Monitoring system | 36 |
| | (7) | Background Values | 37 |
| | (8) | Sampling, Analysis, and Statistical Procedures | 40 |
| (F) | Corre | ctive Action Program | 43 |
| | (1) | Characterization of Contaminated Groundwater | 44 |
| | (2) | Concentration Limits | 44 |
| | (3) | Alternate Concentration Limits | 45 |
| | (4) | Corrective Action Plan | 47 |
| | (5) | Groundwater Monitoring Program | 48 |

| | * \$ | (6) | Background Values | 49 |
|-----|------|--------|--|------|
| | | (7) | Sampling, Analysis, and Statistical Procedures | 51 |
| VI. | POST | Γ-CLOS | SURE CONTACT | 53 |
| | (A) | Post- | Closure Security and Emergency Preparedness | 53 |
| | ٠ | (1) | Post-Closure Security | 53 |
| | | (2) | Emergency Preparedness | 53 |
| | (B) | Syste | m Design Description | 54 |
| | | (1) | Leachate Collection/Detection System | . 54 |
| | | (2) | Gas Venting System | 55 |
| | (C) | Inspe | ection Plan | 55 |
| | | (1) | Security control device | 55 |
| | | (2) | Erosion damage | 55 |
| | | (3) | Cover settlement, subsidence and displacement | 56 |
| | | (4) | Vegetative cover condition | 56 |
| | | (5) | Integrity of run-on and run-off control measures | 56 |
| | | (6) | Cover drainage system functioning | 56 |
| | | (7) | Leachate collection/detection and removal system | 56 |
| | | (8) | Gas venting system | 56 |
| | | (9) | Well condition | 56 |
| | | (10) | Benchmark integrity | 56 |
| | (D) | Moni | toring Plan | 57 |
| | | (1) | Groundwater monitoring | 57 |

| | ₋ (2) | Leachate collection/detection and removal | 57 |
|-----|------------------|--|----|
| (E) | Main | tenance Plan | 57 |
| | (1) | Repair of security control devices | 57 |
| | (2) | Erosion damage repair | 57 |
| | (3) | Correction of settlement subsidence and displacement | 57 |
| | (4) | Mowing, fertilization and other vegetative cover maintenance | 58 |
| | (5) | Repair of run-on and run-off control structures | 58 |
| | (6) | Leachate collection/detection systems maintenance | 58 |
| | (7) | Well replacement | 58 |
| (F) | Speci | al Waste Management Plan | 58 |
| | (1) | Waste Description | 58 |
| | (2) | Soil Description | 59 |
| | (3) | Mobilizing Properties | 59 |
| | (4) | Additional Monitoring Techniques | 59 |
| (G) | Perso | nnel Training | 59 |
| (H) | Notic | e Local Land Authority | 60 |
| (I) | Notic | e in Deed | 61 |
| (J) | Post-0 | Closure Cost Estimate | 61 |
| (K) | Finan | cial Assurance Mechanism for Post-Closure Care | 62 |
| | (1) | Post-closure Trust Funds | 62 |
| | (2) | Surety Bond | 62 |
| | (3) | Post-Closure Letter of Credit | 63 |

| | | (4) | Post-Closure Insurance | 63 |
|------|------|--------|--|----|
| | | (5) | Financial Test and Corporate Guarantee for Post-Closure Care | 63 |
| | | (6) | Use of Multiple Financial Mechanism | 64 |
| | | (7) | Use of Financial Mechanism for Multiple Facilities | 64 |
| | (L) | Liabil | ity requirements | 64 |
| | | (1) | Coverage for Sudden Accidental Occurrences | 64 |
| | | (2) | Coverage for Nonsudden Accidental Occurrences | 66 |
| | | (3) | Request for Variance | 66 |
| | (M) | Use o | f State Required Mechanism | 67 |
| | | (1) | State Assumption of Responsibility | 67 |
| VII. | CORI | RECTIV | /E ACTION FOR SOLID WASTE MANAGEMENT UNITS | 67 |
| | (A) | Solid | Waste Management Unit | 67 |
| | | (1) | Landfill | 68 |
| | | (2) | Surface Impoundment | 68 |
| | | (3) | Waste Pile | 68 |
| | | (4) | Land Treatment Unit | 68 |
| | | (5) | Tank (including 90-day accumulation tank) | 68 |
| | | (6) | Injection well | 68 |
| | | (7) | Incinerator | 68 |
| | | (8) | Wastewater treatment tank | 68 |
| | | (9) | Container storage area | 68 |
| | | (10) | Waste handling area | 68 |

| | | (11) | Transfer station | 68 |
|-------|------|--------|--|------|
| | | (12) | Waste recycling operation | 68 |
| | (B) | Relea | ses | . 69 |
| | | (1) | Characterize Releases | 69 |
| | , | (2) | No Releases | 70 |
| VIII. | OTHE | ER FED | ERAL LAWS | 71 |
| IX. | PART | B CEF | RTIFICATION | 71 |
| | (A) | Grour | ndwater Monitoring | 71 |
| | | (1) | Number, location and depth of wells | 71 |
| | | (2) | Frequency of sampling | 71 |
| | | (3) | Types of analyses to be conducted | 71 |
| | | (4) | Procedures for sampling and analyses (including party responsible) | 71 |
| a. | (B) | Soil N | Monitoring | 71 |
| | | (1) | Number and frequency of samples | 71 |
| | | (2) | Type of analysis to be conducted | 71 |
| | | (3) | Procedure for sampling (including party responsible) | 71 |
| | (C) | Leach | ate Monitoring and Removal | 72 |
| | | (1) | Monitoring procedures and frequency of monitoring | 72 |
| | | (2) | Estimated frequency of leachate | 72 |
| | | (3) | Procedures for collecting and removing leachate | 72 |
| | | (4) | Procedure for treatment and disposal | 72 |
| | | (5) | Party responsible | 72 |

| (D) | Inspections | | |
|-----|-------------|--|----|
| | (1) | List of structures and facilities to be inspected | 72 |
| | (2) | Frequency of inspections | 72 |
| | (3) | Party responsible | 72 |
| (E) | Main | tenance Activities | 72 |
| | (1) | Maintenance of final cover | 72 |
| | (2) | Mowing and fertilizing | 72 |
| | (3) | Replacing lost soil and reseeding | 72 |
| | (4) | Maintaining drainage channels and culverts | 72 |
| | (5) | Controlling rodents and insects | 72 |
| | (6) | Contingency plans for damage caused by severe storms or natural events | 73 |
| | (7) | Maintenance of monitoring systems | 73 |
| | (8) | Maintenance of security systems | 73 |
| | (9) | Responsible party | 73 |
| (F) | Post- | Closure Notices | 73 |
| | (1) | Record of waste | 73 |
| • | (2) | Notation and deed | 74 |
| | (3) | Name, address, and phone number of contact person | 74 |
| (G) | Post- | Closure Certification | 74 |
| | (1) | Estimated number of inspections | 74 |
| | (2) | Testing and analysis to be performed | 74 |
| | (3) | Types of documentation | 74 |

Table of Contents (Continued)

Appendices

Number

| Appendix A | Property Legal Description and LACDPW Non Flood Zone Certification |
|-------------|--|
| Appendix B | DTSC February 24, 2006 Comment Letter; PWP Closure Approval Letters |
| Appendix C | Analytical Results—Former PWP Contents |
| Appendix D | Typical Drilling Logs, Well Completion Information and Recent Gauging Data |
| Appendix E | Groundwater Analytical Results |
| Appendix F | Water Quality Sampling and Analysis Plan |
| Appendix G: | Financial Assurance Documents |
| Appendix H: | Maximum Contaminant Levels from: CCR Title 22, Division 4.5, Chapter 14, Article 6 (Table 1), and 1994 Basin Plan (Tables 3-5 and 3-7) |
| Appendix I: | Revised Postclosure Cost Estimate for Postclosure Permit Application, Process Water Pond (DTSC, December 13, 2006) |

Tables

| Number | | Page |
|--------|---|------|
| 1 | Hazardous Wastes Formerly Handled at the Process Water Pond | 7 |
| 2A | 2005 Analytical Data at the Carson Plant Appendix IX | * 1, |
| 2B | 2004 Analytical Data at the Carson Plant Appendix IX | |
| 3A | Identification of Existing Water Supply Wells Within One-Mile Radius of the Process Water Pond | 15 |
| 3B | Identification of Existing Oil and Gas Wells Within a One-Mile Radius of the Process Water Pond | 16 |

Table of Contents (Continued)

Figures

Number

| 1 · | Plot Plan |
|-----|--|
| 2A | Process Water Pond Looking East |
| 2B | Process Water Pond Looking West |
| 3 | Process Water Pond Area |
| 4A | Grading Plan Process Water Pond |
| 4B | Grading Sections Process Water Pond |
| 4C | Reservoir 7 (Process Water Pond) Plan and Sections |
| 5 | Site Map of the Carson Plant and Shell Properties Showing Well Locations ConocoPhilips LAR, Carson Plant, Fall 2005 |
| 6 | Corrected Groundwater Elevations and Interpreted Soil Types Bellflower Aquitard, ConocoPhilips LAR, Carson Plant, Fall 2005 |
| 7A | Measured LNAPL Thickness and Interpreted Soil Types Bellflower Aquitard, ConocoPhilips LAR, Carson Plant, Fall 2005 |
| 7B | Measured LNAPL Thickness and Hydrocarbon Pool Characterization, Bellflower Aquitard, ConocoPhilips LAR, Carson Plant, Fall 2005 |
| 7C | BTEX and TPH-G in Groundwater ConocoPhilips LAR, Carson Plant, Fall 2005 |
| 7D | DIPE in Groundwater ConocoPhilips LAR, Carson Plant, Fall 2004 |
| 7E | TBA in Groundwater ConocoPhilips LAR, Carson Plant, Fall 2004 |
| 7F | MTBE in Groundwater ConocoPhilips LAR, Carson Plant, Fall 2004 |
| 7G | Detected Halogenated Volatile Organic Compounds in Groundwater ConocoPhillips LAR, Carson Plant, Fall 2005 |
| 8 | U.S.G.S. Topographic Map Depicting Water Supply, Oil, and Gas Wells, Extended One Mile Beyond Facility Boundaries |

Table of Contents (Continued)

Figures (Continued)

LARC

Number

| 9 | Physiographic Features, Groundwater Basin, and Location of ConocoPhillips Los Angeles Refinery |
|-----|---|
| 10 | Areal Geology in Vicinity of ConocoPhillips Los Angeles Refinery |
| 11 | Generalized Cross-Section A-A' in Vicinity of Carson Plant |
| 12 | Schematic Block Diagram of Regional Hydrogeologic Units Beneath Carson Plant |
| 13A | Historic Monitoring Data for Upgradient POC Well 2, LARC |
| 13B | Historic Monitoring Data for Downgradient POC Wells MW-17, MW-38 and MW-59 |